


seating step


SPECS GUIDE



SEATING STEP



DECORATIVE BACK PANEL



ACCESSORIES

Pouf
Doors
Side table
Sitting pad
Cushion





DOCUMENTATION




ECODESIGN

SEATING STEP:



Melamine: 19 mm of thickness. Recoated chipboard with melamine of 120 grs/m² in both faces with a density of 630 Kg/m³ ± 5 %.

ABS edges all around the top with a bevel of 2 and 0,8 mm. Edges are fixed with melted glue and rounded in shape.



Step is assembled using dowels, M6 bolts, and eccentric fasteners.

CASTERS:

8 swivel casters of Ø75 mm with a polyamide core and polyurethane tread.

- 3 casters with red brakes.

Caster load capacity:

- 60 kg in motion.

- 140 kg static.



For an all-white monochrome step: white casters with gray stain-resistant soft treads.



For an all-black or graphite monochrome step: black casters with black soft treads.



For other finishes: silver casters with gray soft treads.




They are attached to the step-bottom using a steel plate of 42x42 mm and 4 screws.

DECORATIVE BACK PANEL:

MELAMINE:



19 mm of thickness. Recoated chipboard with melamine of 120 grs/m² in both faces with a density of 630 Kg/m³ ± 5 %. ABS edges all around the top with a bevel of 2 mm. Edges are fixed with melted glue and rounded in shape.



Assembly to the step using M6 metal inserts and DIN 7991 M6x30 mm screws.



UPHOLSTERED:

Chipboard with 18 mm thickness.

All the fabrics of the fabric folder are available except EVOLVE.




Assembly to the step using M6 metal inserts and DIN 7991 M6x30 mm screws.



PET:

Recycled PET panel. Density 2,4 (kg/m²)^{±10} and 19 mm thick.

Noise absorption 0,45 (MH) αw.




Assembly to the step using M4 screw and connecting tubes.


ACCESSORIES:

PUFF:

Foam is composed of 2 foam layers of flexible polyurethane (polyether) of different densities:




* HR= *High Resiliency, non-deform and high recovery.*

 Puff is covered with **wadding** (100 gr.)

 **Open seam:** for vertical corners.


 **Felled seam:** for the upper perimeter.


All the fabrics of the fabric folder are available except EVOLVE.



A 3 mm thick medium-density fiberboard (MDF) is glued at the bottom of the puff.

White ABS cylindrical sliding stoppers are screwed on this board.

 They can only be placed inside the **upper gaps** of the step.




ACCESSORIES:


DOORS:



Recycled PET panel. Density 0,6 (kg/m²)^{±10} and 3 mm thick.
Manufactured through digital cutting and folded.



DOOR:
for the upper hole



DOOR:
for the lower hole

FINISHES:



Light grey



Dark grey



Graphite



Black




Beige



Brown



The doors are screwed to the step gaps.



ACCESSORIES:

SIDE TABLE:



Melamine tabletop: Manufactured with 19 mm thick particleboard coated on both sides with a 120g/m² melamine finish, and a density of 630 ± 5kg/m³.

The edges are 2 mm thick ABS fixed with melted glue and rounded in shape.

5 cm round edges.



Black



Beech



Light acacia



Graphite



Maple



Dark acacia



White



Pear



Oak



Grey



Wengue



Dark oak



Tops are fixed to the frame of the desk with black-zinc DIN 7991 M6 x 25 screws.

Structure has 4 fixing drillings for the top.

Structure manufactured in cold-folder-rolled steel tube of Ø15 and 1,5 mm thickness.

Black polypropylene glides to protect frame and floor from scratching.



White
RAL 9016



Silver
RAL 9006



Graphite
RAL 7022



Black
RAL 9005



It can only be placed inside the **upper gaps** of the step.



ACCESSORIES:

SEATING PAD:


The pad is composed of flexible polyurethane (polyether) foam of density 30 kg/m³, 3 cm thick and a hardness of 7 Kpa.



Pad is covered with **wadding** (100 gr.)


Felled seam.

All the fabrics of the fabric folder are available except EVOLVE.



Felled seam

CUSHION:


100% polyester microfiber filling.

Measurements: 40 x 40 and 40 x 25 cm


Simple seam.

All the fabrics of the fabric folder are available except EVOLVE.


CARE INSTRUCTIONS




Clean the elements with a soft damp cloth and neutral detergent.

MEASUREMENTS (cm)


STRAIGHT SEATING STEP:




WITHOUT BACK PANEL:




WITH BACK PANEL:




90° SEATING STEP (RIGHT AND LEFT):



WITHOUT BACK PANEL:



WITH BACK PANEL:



INTERIOR MEASUREMENTS:



This unit is delivered **SEMI-ASSEMBLED**.

RECYCLABILITY and TOXIC MATERIALS

This furniture does not contain any toxic material and its components are recyclable.



For more information, please contact export department.