



## **TROLLEYS**

Types  
Metal structure  
Melamine components  
Upper door  
Low cabinet



## **ACCESSORIES**

Pouf  
Side table  
Basket  
User label identifier



## **DOCUMENTATION**



## **ECODESIGN**

## TROLLEYS:

### TYPES:

**TROLLEY S - WITH LOW CABINET:**



**TROLLEY M:**



**TROLLEY L - WITHOUT LOW CABINET:**




**TROLLEY L - WITH LOW CABINET:**



## TROLLEYS:


### METAL STRUCTURE:



'U' shape **sides** made from cold-rolled steel curved tube of Ø30 x 2 mm, laser cut and machined.

They include two **crosstubs** made of cold-rolled steel tube of Ø22 x 2 mm, joined by fitting and welded using MIG system.

'U' shape **lower structure** made of cold-rolled steel tube of 30 x 20 x 1,5 mm laser-cut and machined.



**Round tubes** manufactured in cold-rolled steel tube of Ø30 x 2 mm.

A plate with a 3 mm thick thread is welded at each end.

They are used to prevent the falling of objects and enhance the stability of the assembly.

The round tube is assembled to the metal side using M4x35 DIN 7380 screws.



Round tubes of Ø30 x 2 mm are welded at each end where black polyamide **plugs** with an M8 metal nut are placed.

### FINISHES:



White  
RAL 9016



Silver  
RAL 9006



Graphite  
RAL 7022



Black  
RAL 9005

### CASTERS:

4 casters with brake of Ø75 mm and a pin of Ø8 mm.



**For the trolley with white structure:** white casters with gray stain-resistant soft treads.



**For the trolley with black or graphite structure:** black casters with black soft treads.




**For other finishes:** silver casters with gray soft treads.



The casters are attached to the trolley with an M8 threaded steel bolt and a connecting shaft of Ø10 mm

## TROLLEYS:

### MELAMINE COMPONENTS:



**Lectern top, bottom, sides and mid-shelf:** 19 mm of thickness. Recoated chipboard with melamine of 120 grs/m<sup>2</sup> in both faces with a density of 630 Kg/m<sup>3</sup> ± 5 %. ABS edges all around the top with a bevel of 2 and 0,8 mm. Edges are fixed with melted glue and rounded in shape.



Are assembled to the metal structure using dowels, M6 bolts, and eccentric fasteners.



The bottom is attached to the metal sides with allen screws M8x35.

### FINISHES:



Black



Beech



Light acacia



Graphite



Maple



Dark acacia



White



Pear



Oak



Grey



Wengue



Dark oak



Silver



## UPPER DOOR:



**Upper door:** recycled PET panel. Density  $0,6 \text{ (kg/m}^2\text{)}^{\pm 10}$  and 3 mm thick.  
Manufactured through digital cutting and folded.



90° swinging door.



Slotted back as ventilation.



The door is screwed to the trolley gap.

## FINISHES:



Light grey



Dark grey



Graphite



Black



Beige



Brown

## LOW CABINET:

**Low door:** 19 mm of thickness. Recoated chipboard with melamine of 120 grs/m<sup>2</sup> in both faces with a density of 630 Kg/m<sup>3</sup> ± 5 %.

ABS edges all around the top with a bevel of 2 and 0,8 mm. Edges are fixed with melted glue and rounded in shape.



Black



Graphite



White



Grey



Silver



Beech



Maple



Pear



Wengue



Light acacia



Dark acacia



Oak



Dark oak



**DOOR:** 110° hinge with silicone door-protections (stoppers).

The door includes a cylinder (replaceable in case of breakage) with a chrome hook locking system with the possibility of master key or same keys.

**TOW KEYS:** black articulated and anti-breakage hinged keys.



**PENCIL DRAWER** with subdivisions made of silver injected plastic.

Steel metal guides finished in white zinc plating. They are fixed to the shelf by 4 euro screws.

The assembly of the drawer to the guides is done by sliding and without tools.

Dimensions: width 376, depth 354, and height 40 m.



**ZAMAK-KNOB** finish in black epoxy matte paint.

Size: 15 x 15 x 25 mm

Can be assembled with a M4 screw and a Ø5 mm hole.



**BACK PANEL** made of cold rolled steel sheet 1,2 mm DC01.

Slotted for ventilation.


It is fixed to the mid-vertical partitions using euro screws.

White  
RAL 9016Silver  
RAL 9006Graphite  
RAL 7022Black  
RAL 9005

## ACCESSORIES:

### PUFF:

**Foam** is composed of 2 foam layers of flexible polyurethane (polyether) of different densities:



\* HR= *High Resiliency, non-deform and high recovery.*




Puff is covered with **wadding** (100 gr.)




**Open seam:** for vertical corners.

**Felled seam:** for the upper perimeter.

All the fabrics of the fabric folder are available except EVOLVE.



Open seam



Felled seam




A 3 mm thick medium-density fiberboard (MDF) is glued at the bottom of the puff.

White ABS cylindrical sliding stoppers are screwed on this board.



They can only be placed inside the **lower gaps** of the trolley.



## ACCESSORIES:

### SIDE TABLE:



**Melamine tabletop:** Manufactured with 19 mm thick particleboard coated on both sides with a 120g/m<sup>2</sup> melamine finish, and a density of 630 ± 5kg/m<sup>3</sup>.

The edges are 2 mm thick ABS fixed with melted glue and rounded in shape.

5 cm round edges.



Black



Beech



Light acacia



Graphite



Maple



Dark acacia



White



Pear



Oak



Grey



Wengue



Dark oak



Tops are fixed to the frame of the desk with black-zinc DIN 7991 M6 x 25 screws.

Structure has 4 fixing drillings for the top.

**Structure** manufactured in cold-folder-rolled steel tube of Ø15 and 1,5 mm thickness.

Black polypropylene glides to protect frame and floor from scratching.



White  
RAL 9016



Silver  
RAL 9006



Graphite  
RAL 7022



Black  
RAL 9005



They can only be placed inside the **lower gaps** of the trolley.






## ACCESSORIES:

### BASKET:



Recycled PET panel. Density 2,40 (kg/m<sup>2</sup>)<sup>±10</sup> and 8 mm thick.

Manufactured through digital cutting, folding, and stuck with melted glue.



### FINISHES:



Light grey



Dark grey



Graphite



Black





Beige



Brown



They are placed on top of the trolley and inside the gaps.



---

**ACCESSORIES:**


---

**USER LABEL IDENTIFIER:**


The nameplate is made from 3 mm thick extruded transparent acrylic sheet (PMMA).  
Measurement: 14 x 4 cm.

Includes an **elastic band** made of recycled PET and 3 mm thick.



It is attached to the structure using the PET elastic band, which functions as a clamp once it is snapped onto the nameplate.

**FINISHES:**


Light grey



Dark grey



Graphite



Black



Beige




Brown

## CARE INSTRUCTIONS



Clean the elements with a soft damp cloth and neutral detergent.

## MEASUREMENTS (cm)



## INTERIOR MEASUREMENTS:



This unit is delivered **ASSEMBLED**.

---

## RECYCLABILITY and TOXIC MATERIALS

This furniture does not contain any toxic material and its components are recyclable.



For more information, please contact export department.