

mobel sit

by mobel linea

Nice to sit you

top

FLEX



SPECS GUIDE



Seat



Structures



Documentation
and Certificates



Ecodesign

SEAT:



Upholstered black ABS seat with expanded polyurethane foam of 60 Kg/m³ density (5 cm thickness).

It is fixed to the outer seat cover with 1 screw DIN 7981-c 5x25.

All the fabrics of the fabric folder are available.



Polyamide with 30% glass fiber outer seat cover.

It has 4 notches to attach the legs.

FINISHES:



White



Graphite



Green



Red



Blue



Yellow

TALL FRAME:



4 Conical polished natural beech wood legs (Ø25-37 mm).

The wood-legs are inserted with pressure into the notches of the outer seat cover and 4 screws DIN 912 M6x40.



Polyamide with 30% glass fiber ring-footrest i.

Same finish as the outer seat cover.

It is fixed to the wooden legs with 4 screws DIN 912 M6x30.

Polyamide black glides that protect the stool and floor from scratching.

SMALL FRAME:



4 Conical polished natural beech wood legs (Ø25-36 mm).

The wood-legs are inserted with pressure into the notches of the outer seat cover and 4 screws DIN 912 M6x40.

Polyamide black glides that protect the stool and floor from scratching.



Maximum load capacity: **110 Kg.**

CERTIFICATES



UNE-EN 16139:2013

CARE INSTRUCTIONS



Clean the chair and its components with a soft cloth and neutral detergent.

MEASUREMENTS (cm)



 5,15 kg

 0,1490 m³

 1



 3,90 kg

 0,1170 m³

 1

VERSIONS



RECYCLABILITY and TOXIC MATERIALS

This chair does not contain any toxic material and its components are recyclable.



For more information, please contact export department