



## DESKTOPS

 **Melamine top:** 25 mm of thickness. Recoated chipboard with melamine of 120 grs/m<sup>2</sup> in both faces with a density of 600 Kg/m<sup>3</sup> ± 5 %. ABS edges all around the top with a bevel of 2 mm. Edges are fixed with melted glue and rounded in shape.

Finishes: graphite, white, grey, beech, maple, pear, wengue, light acacia, dark acacia, black, oak or dark oak.

 **HPL (High Pressure Laminate) top:** 25 mm of thickness. Recoated chipboard with decorative plastic laminate of 0,8 mm of thickness with a density of 600 Kg/m<sup>3</sup> ± 5 %. ABS edges all around the top with a bevel of 2 mm. Edges are fixed with melted glue and rounded in shape.

Finishes: graphite, white, grey, beech, maple, pear, wengue, light acacia, dark acacia, black, oak or dark oak.



Tops are fixed to the structure of the desk with DIN 7991 M6 X 65 zinc screws.

Optional: 5 cm round edges.



## **WOOD FRAME**

### **U-SHAPE FRAME**



#### **Beech veneer wood.**

Beam of 60 x 60 mm joined to two rectangular columns of 60 x 30 mm (smallest side) with 99° tilt angle in relation to the floor.



In the lower side of the frame there are black levellers (M6 and  $\pm 1$  cm height).



Frame is joined to the auxiliary metal frame with steel plates and DIN 7991 M6x16 white-zinc screws.



**Auxiliar metal frame:** 4 steel cold laminated tubes of 50 x 20 x 1,5 mm.

Welded with MIG system. Joined to desk structure with M6 screws.


Each tube has an ABS plug.



Available finishes: silver epoxy paint (RAL 9006), white (RAL 9016), graphite (RAL 7022) or black (RAL 9005).




Auxiliary metal frame is joined to the frame with DIN 7991 M6 x 20 and M6 x 30 white-zinc screws.




## MEASUREMENTS (cm)

### TABLES WITH SQUARE EDGES:




### TABLES WITH ROUND EDGES:



## FINISHES


### MELAMINE DESKTOPS



### TEXTURED MELAMINE DESKTOPS



## WOOD FRAME





## **TABLES CERTIFICATES**

UNE-EN 527-1:2011, UNE EN 527-2: 2017+A1:2019



## **CARE INTRUCTIONS**

Clean the table and its components with a soft cloth and neutral detergent.



## **RECYCLABILTY AND TOXIC MATERIALS**

This table does not contain any toxic material and its components are recyclable.



### **MATERIALS:**

- Wood used to manufacturer desk tops is from certified forests managed in a sustainable way.
- 44% of this table materials are recycled.



### **PRODUCTION:**

- Components and manufacturer packs are optimized to avoid chipboard remnant waste.
- Glues are not used. Assembly is mechanical.
- Production processes are optimized using fewer natural resources.



### **SHIPPING:**

- Furniture is delived with our trucks. Routes are optimized to reduce CO<sub>2</sub> emissions.



### **USE:**

- Modular range with many complements: it is possible to extendend or modify the table shape without replacements.
- All kind of replacements are available. It is the better way to repair damage parts of the desk and prolong its utility.



### **END OF LIFE:**

- Desk is recyclable in a 97%.
- All the components can be disassembled easily and treat them separately for its recyclability.
- Desk packing materials are 100% recyclables.

