MOBEL LINEA

ROL

SPECS GUIDE

DESKTOPS

Melamine top: 25 mm of thickness. Recoated chipboard with melamine of 120 grs/m^2 in both faces with a density of 600 Kg/m^3 ± 5 %. ABS edges all around the top with a bevel of 2 mm. Edges are fixed with melted glue and rounded in shape.
Finishes: graphite, white, grey, beech, maple, pear, wengue, light acacia, dark acacia, black, oak or dark oak.

HPL (High Pressure Laminate) top: 25 mm of thickness. Recoated chipboard with decorative plastic laminate of 0,8 mm of thickness with a density of 600 Kg/m^3 ± 5 %. ABS edges all around the top with a bevel of 2 mm. Edges are fixed with melted glue and rounded in shape.
Finishes: graphite, white, grey, beech, maple, pear, wengue, light acacia, dark acacia, black, oak or dark oak.

Tops are fixed to the structure of the table with DIN 7991 M6 x 16 white-zinc screws.

Structure has 4 fixing drillings for the top.

FRAME

Base: 5 mm square or round steel sheet of 680 x 680 mm.

The base has a non-slip ribbon for more stability.

Central column: Steel round column of Ø114 x 2 with 4 notches for the reinforcements.

Base is joined with the central column with DIN 7991 M8 x 25 white-zinc screws.

Cross reinforcement beams: 4 rectangular steel tubes of 30 x 30 x 1,5 mm.

Reinforcements are fitted into columns notches and fixed with M8 washers and DIN 912 M8 x 16 black screws.

Available finishes: silver epoxy paint (RAL 9006), white (RAL 9016), graphite (RAL 7022) or black (RAL 9005).

MEASUREMENTS (cm)

SQUARE TABLE

ROUND TABLE

TAULES RODONES H.45

FINISHES

MELAMINE DESKTOPS

White Grey Beech Maple Pear Wengue

Light acacia Dark acacia Graphite

TEXTURED MELAMINE DESKTOPS

Oak Dark oak

METAL FRAME

White (RAL 9016) Silver (RAL 9006) Graphite (RAL 7022) Black (RAL 9005)