

iris

Specs guide



SPECIFICATIONS

- BACKREST
- SEAT
- ARMRESTS
- BASE
- CANTILEVER CHAIR

DOCUMENTATION

- CERTIFICATES AND CARE INTRUCTIONS
- MEASUREMENTS
- VERSIONS



BACKREST

Mesh backrest

Polyester mesh (black, red or blue) with a polyamide back-cover.

Silver backrest embellishment.



Mechanism



Has **synchronized mechanism** (seat and backrest tilting system) that is activated using the black handle under the seat. The tilt value for the backrest is 18° (from 102° to 120°) and it can be blocked in any position.



Seat-back joint by a crossbow.



SEAT

Upholstered seat

Black upholstered seat with polyurethane foam of $\pm 35 \text{ Kg/m}^3$ density (6 cm thickness).

Underseat cover of black polypropylene. Wood inner structure.

Adjustment



Height adjustable piston with a gas mechanism activated using the black handle under the seat.



It has got a **tension knob** to adjust user's weight.



Mechanism



The tilt value of **synchronized mechanism** for the seat is 6° (from -2° to -9°) and can be locked in any position.



OPTIONAL ARMRESTS

Adjustable arms



1D: T-shaped nylon and glass fiber **height adjustable** arms (7 cm stroke).



BASE

Black five star base of nylon.



Wheels

Wheels are of black nylon of Ø 50 mm with a pin of Ø 11 mm.

CANTILEVER CHAIR

Frame

Cantilever frame (without arms) of cold-rolled steel round tube Ø 30 mm x 2 mm.

Available finish: chrome.

Black polypropylene glides to protect chair and floor from scratching.





CERTIFICATES AND CARE INSTRUCTIONS

Product Conformity



EN 1335-2:2009
EN 1335-3:2009


Care instructions



Clean the chair and its components
with a soft cloth and neutral
detergent.




DIMENSIONS (cm)



 : 18,30 kg

 : 0,110 m³

 : 1



 : 15,30 kg

 : 0,139 m³

 : 1



VERSIONS

